

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office _____ DEC 10 1992

Returned to applicant for correction _____

Corrected application filed _____

Map filed _____ DEC 10 1992

The applicant **Kenneth W. Brown and Odile A. Brown**, hereby make application for permission to change the **Point of Diversion and Place of Use of a portion and manner of use** of water heretofore appropriated under **Permit #14576 Certificate #5329 (Fan water)**

1. The source of water is **underground source**
2. The amount of water to be changed **0.0063 C.F.S. but not to exceed 3 AC. feet**
3. The water to be used for **Irrigation and Domestic**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 34, Township 19 South, Range 53 East M.D.B.&M. The SW corner of said Section 34 bears S 62 05' 00'' W a distance of 1455.00 feet**
6. The existing permitted point of diversion is located within **the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 34, Township 19 South, Range 53 East M.D.B.&M. The N $\frac{1}{4}$ corner of said Section 34 bears N 0 57' 00'' E a distance of 2553.00 feet.**
7. Proposed place of use **within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ and within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 34, Township 19 South, Range 53 East M.D.B.&M. 3 acre feet to be irrigated**
8. Existing place of use **within the S $\frac{1}{2}$ NW $\frac{1}{4}$ Section 34, Township 19 South, Range 53 East M.D.B.&M. 160 acres irrigated, 2.949 acres of an acre to be removed, 3 acre feet to be stripped within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 34.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **400' of 8'' well casing, 7 $\frac{1}{2}$ HR pump, 200 Gal. pressure tank thru 1'' and 2'' plastic lines**
12. Estimated cost of works **\$25,000.00**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **4 years**

15. Remarks:

By s/Richard L. Hafen Agent
Richard L. Hafen, Agent
2383 Gateway Road
Las Vegas, Nevada 89115

Compared cl/cmf

Protested _____

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that the applicants have failed to submit the information requested by the State Engineer's office, and that without this information granting of the application would be detrimental to the public interest.

Work must be prosecuted with reasonable diligence and be completed on or before: _____

Proof of completion of work shall be filed before: _____

Application of water to beneficial use shall be filed on or before: _____


Proof of the application of water to beneficial use shall be filed on or before: _____

Map in support of proof of beneficial use shall be filed on or before: _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 16th day of November, A.D. 1999
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____